US ERA ARCHIVE DOCUMENT

KPDES FORM C

KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

PERMIT APPLICATION

A complete application consists of this form and Form 1. For additional information, contact KPDES Branch, (502) 564-3410.

Name of Facility: Bear Branch Surface Mine	County: Perry
Name of Lacinty. Bear Branch Surface Wine	
	AGENCY
I. OUTFALL LOCATION	USE

For each outfall list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

Outfall No.	LATITUDE			LONGITUDE			
(list)	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds	RECEIVING WATER (name)
BP-22	83	6	40	37	7	6	UT to Right Fork
BP-23	83	6	24	37	7	0	UT to Right Fork
BP-24	83	6	11	37	6	57	UT to Right Fork

^{*}A table of existing structures is attached on page 6.

II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

- A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfall. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.
- B. For each outfall, provide a description of: (1) all operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) the average flow contributed by each operation; and (3) the treatment received by the wastewater. Continue on additional sheets if necessary.

OUTFALL NO.	OPERATION(S) CONTRIBUTING FLOW		TREATMENT		
(list)	Operation (list)	Operation (list) Avg/Design Flow (include units)		List Codes from Table C-1	
BP-22	Surface Runoff	83.23 cf/s	Sedimentation	1-U	
DF-22	Surface Rulion	65.25 CI/S	Discharge to Surface Water	4-A	
BP-23	Surface Runoff	55.66 cf/s	Sedimentation	1-U	
DF-23	Surface Runoff	33.00 078	Discharge to Surface Water	4-A	
BP-24	Surface Runoff	21.89 cf/s	Sedimentation	1-U	
DF-24	Surface Rulion	21.09 01/8	Discharge to Surface Water	4-A	

1

C. Except for	,								
	Yes (Complete the	e following ta	ible.)		No (Go	to Section III.)			
OUTFALL	OPERATIONS	FREQU				FLOW		Duration	
NUMBER	CONTRIBUTING FLOW	Days Per Week	Months Per Year		Rate mgd)		(specify with units) (in		
(list)	(list)	(specify average)	(specify average)	Long-Term Average	Maximum Daily	Long-Term Average			
							•		
III. MAXIM	IUM PRODUCTION	I							
A. Does an e	effluent guideline limit	ation promul	gated by Fl	PA under Secti	on 304 of the C	'lean Water Act	annly to your f	acility?	
A. Does and		-				ican water Act	appry to your r	actiffy:	
	Yes (Complete Ite	em III-B) List	effluent gu	uideline categor	ry:				
	Na (Ca ta Castian								
	No (Go to Section	1V)							
· 	No (Go to Section	ŕ							
	imitations in the applic	ŕ	guideline e	expressed in ter	rms of production	on (or other mea	sures of operat	ion)?	
	,	able effluent	guideline e	expressed in ter	-	on (or other mea	sures of operat	ion)?	
B. Are the li	Yes (Complete Ite	able effluent		No (Go to S	Section IV)		•		
B. Are the li C. If you ar	imitations in the applic	able effluent em III-C) m III-B, list	the quantit	No (Go to S	Section IV)	al measurement	of your maxi	mum level of	
B. Are the li C. If you ar	Yes (Complete Itenswered "Yes" to Itenson, expressed in the ter	em III-C) m III-B, list ms and units	the quantitused in the	No (Go to S ty which repre applicable effl	Section IV)	al measurement	of your maxi	mum level of lls.	
B. Are the li C. If you ar production	Yes (Complete Itemswered "Yes" to Items, expressed in the ter	m III-C) m III-B, list ms and units MAXIMUM	the quantitused in the	No (Go to S ty which repre applicable effl	Section IV) esents the actual	al measurement and indicate the	of your maxic affected outfa	mum level of lls.	
B. Are the li C. If you ar	Yes (Complete Itemswered "Yes" to Items, expressed in the ter	m III-C) m III-B, list ms and units MAXIMUM	the quantitused in the	No (Go to S ty which repre applicable effl ITY peration, Prod	Section IV)	al measurement and indicate the	of your maxi	mum level of lls.	
B. Are the li C. If you ar production	Yes (Complete Itemswered "Yes" to Items, expressed in the ter	m III-C) m III-B, list ms and units MAXIMUM	the quantitused in the	No (Go to S ty which repre applicable effl ITY peration, Prod	Section IV) esents the actual uent guideline,	al measurement and indicate the	of your maxic affected outfa	mum level of lls.	
B. Are the li C. If you ar production	Yes (Complete Itemswered "Yes" to Items, expressed in the ter	m III-C) m III-B, list ms and units MAXIMUM	the quantitused in the	No (Go to S ty which repre applicable effl ITY peration, Prod	Section IV) esents the actual uent guideline,	al measurement and indicate the	of your maxic affected outfa	mum level of lls.	
B. Are the li C. If you ar production	Yes (Complete Itemswered "Yes" to Items, expressed in the ter	m III-C) m III-B, list ms and units MAXIMUM	the quantitused in the	No (Go to S ty which repre applicable effl ITY peration, Prod	Section IV) esents the actual uent guideline,	al measurement and indicate the	of your maxic affected outfa	mum level of lls.	
B. Are the li C. If you ar production	Yes (Complete Itemswered "Yes" to Items, expressed in the terms and the terms are the second of the	m III-C) m III-B, list ms and units MAXIMUM	the quantitused in the	No (Go to S ty which repre applicable effl ITY peration, Prod	Section IV) esents the actual uent guideline,	al measurement and indicate the	of your maxic affected outfa	mum level of lls.	
B. Are the li C. If you ar production Quantity Per	Yes (Complete Itemswered "Yes" to Items, expressed in the terms and the terms are the second of the	m III-C) m III-B, list ms and units MAXIMUM Measure	the quantitused in the	No (Go to S ty which repre applicable effl ITY peration, Prod (sp	Section IV) esents the actual uent guideline, luct, Material, ecify)	al measurement and indicate the	of your maxi affected outfa Affected C (list outfall r	mum level of lls. Dutfalls numbers)	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the terms are proposed in the terms are	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equ	the quantitused in the I QUANTI O ate or local aipment or	No (Go to S ty which repre applicable effl ITY peration, Prod (sp	Section IV) esents the actual duent guideline, luct, Material, ecify) meet any impany other envi	Etc. Dementation sclaronmental programmental programmenta	of your maxical affected outfar Affected Control (list outfall reduced for the rams which maxical affected for the rams which	mum level of lls. Outfalls numbers) construction, any affect the	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the second of the	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equipolication? Ti	the quantitused in the I QUANTI O O ate or local aipment or his include:	No (Go to S ty which repre applicable effl ITY peration, Prod (sp	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other envimited to, perm	Etc. Definition of the conditions, actions and indicate the conditions, actions and the conditions, actions and the conditions actions actions.	of your maxical affected outfar Affected Control (list outfall remains which makes a shift outfall remains a shift	mum level of lls. Outfalls numbers) construction, any affect the	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the terms are proposed in the set of the proposed in the application of was described in this appropriate the proposed in the	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equiplication? The e schedule let	the quantitused in the I QUANTI O atte or local information or his included ters, stipular	No (Go to S ty which repre applicable effl ITY peration, Prod (sp Il authority to practices or a s, but is not lin ations, court or	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other environment to, permiders and grant of	Etc. Demonstration sclaronmental progetic conditions, acordion conditions.	of your maxical affected outfar Affected Control (list outfall remains which makes a shift outfall remains a shift	mum level of lls. Outfalls numbers) construction, any affect the	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the second of the	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equiplication? The e schedule let	the quantitused in the I QUANTI O atte or local information or his included ters, stipular	No (Go to S ty which repre applicable effl ITY peration, Prod (sp Il authority to practices or a s, but is not lin ations, court or	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other envimited to, perm	Etc. Demonstration sclaronmental progetic conditions, acordion conditions.	of your maxical affected outfar Affected Control (list outfall remains which makes a shift outfall remains a shift	mum level of lls. Outfalls numbers) construction, any affect the	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge orders, er	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the terms are proposed in the set of the proposed in the application of was described in this appropriate the proposed in the	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equiplication? The e schedule let	the quantitused in the I QUANTI O atte or local information or his included ters, stipular	No (Go to S ty which repre applicable effl ITY peration, Prod (sp Il authority to practices or a s, but is not lin ations, court or	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other environment to, permiders and grant of	Etc. Demonstration sclaronmental progetic conditions, acordion conditions.	of your maxical affected outfar Affected Control (list outfall remains which makes a shift outfall remains a shift	mum level of lls. Outfalls numbers) construction, any affect the	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge orders, er	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms. The Day Units of The Day Uni	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equiplication? The schedule let e following ta	the quantitused in the I QUANTI O TED OUTFA	No (Go to S ty which repre applicable effl ITY peration, Prod (sp Il authority to practices or a s, but is not lin ations, court or No LLS BR	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other envimited to, perm ders and grant of the control	Etc. Demonstration sclaronmental progetic conditions, acordion conditions.	Affected Outfa Affected O (list outfall r medule for the rams which mainistrative outs.)	construction, nay affect the r enforcement	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge orders, er	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the Itemswered in Item	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equiplication? The schedule let e following ta	the quantitused in the I QUANTI O The property of the control of	No (Go to S ty which repre applicable effl ITY peration, Prod (sp Il authority to practices or a s, but is not lin ations, court or No LLS BR	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other envimited to, perm ders and grant of the control	Etc. Definition of the condition of the conditions, and conditions of the condition of the	of your maxical affected outfar Affected (list outfall remains which makes a second remains a second rem	construction, nay affect the r enforcement	
B. Are the li C. If you ar production Quantity Per IV. IMPRO A. Are you upgrading discharge orders, er	Yes (Complete Itemswered "Yes" to Itemswered "Yes" to Itemswered in the terms and the Itemswered in Item	m III-C) m III-B, list ms and units MAXIMUM Measure y federal, sta astewater equiplication? The schedule let e following ta	the quantitused in the I QUANTI O TED OUTFA	No (Go to S ty which repre applicable effl ITY peration, Prod (sp Il authority to practices or a s, but is not lin ations, court or No LLS BR	section IV) esents the actual uent guideline, luct, Material, ecify) meet any impany other envimited to, perm ders and grant of the control	Etc. Definition of the condition of the conditions, and conditions of the condition of the	Affected Outfa Affected O (list outfall r medule for the rams which mainistrative outs.)	construction, nay affect the r enforcement	

3. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

2

\mathbf{V}	INTAKE	AND EFFI	JUENT CHARA	CTERISTICS

A, B, & C: See instructions before proceeding – Complete one set of tables for each outfall – Annotate the outfall number in the space provided.

NOTE: Tables V-A, V-B, and V-C are included on separate sheets numbered 5-18.

D. Use the space below to list any of the pollutants (refer to SARA Title III, Section 313) listed in Table C-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.

	POLLUTANT	SOURCE	POLLUTANT	SOURCE
		<u> </u>		
VI.	POTENTIAL DISCHARO	GES NOT COVERED BY ANAI	VSIS	
V 10	TOTELVIELE DISCIENCE	JESTOT COVERED DI MANI		
A.	Is any pollutant listed in Item	n V-C a substance or a component	of a substance which you use or pr	roduce, or expect to use or
		rs as an immediate or final product		, 1
	•	•		
	Yes (List all su	ich pollutants below)	No (Go to Item VI-B	3)
В.			r products can reasonably be expec	
	discharge of pollutants may	during the next 5 years exceed two	times the maximum values report	ed in Item V?
	Yes (Complete	e Item VI-C) No ((Go to Item VII)	
C	If	VI D	ha in datail to the back of come shill	
C.			be in detail to the best of your abili discharged from each outfall over	
	additional sheets if you need		discharged from each outlan over	the next 3 years. Continue on
	additional sheets if you need	more space.		

3

Revised June 1999

V 11.	DIOLOGICAL TOXICITY TESTIN	GDATA

	Do you have any knowledge of or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?						
			Yes (Identify the test(s) and describe their purposes below)		No (Go	to Section VIII)	
V	VIII. CONTRACT ANALYSIS INFORMATION						
W	Were any of the analyses reported in Item V performed by a contract laboratory or consulting firm?						
			Yes (list the name, address, and telephone number of, and pollutants analyzed by each such laboratory or firm below)			No (Go to Section IX)	

NAME	ADDRESS	TELEPHONE	POLLUTANTS
		(Area code & number)	ANALYZED (list)
McCoy and McCoy Labs	2456 Fortune Dr. # 155	859-299-7775	pH
	Lexington, KY 40509		Conductivity
			Hardness
			Total Suspended Solids
			Sulfate
			Phenol
			Free Cyanide
			Aluminum
			Antimony
			Arsenic
			Beryllium
			Cadmium
			Chromium
			Copper
			Iron
			Lead
			Manganese
			Mercury
			Nickel
			Silver
			Thallium
			Zinc

Revised June 1999

IX. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print):	TELEPHONE NUMBER (area code and number):
Bill Johnson, Vice President - Engineering	(606) 878-7411
SIGNATURE DULLOHNSON	DATE
10090	05/10/2011
Dest	05/10/2011

5 Revised June 1999

Existing Silt Structures on Site

ID Number	Upland/ In stream	Permanent/ Temporary	Drainage Area (acres)	Activities	Latitude	Longitude	Receiving Water (name)
BP-1	Upland	Temporary	8.6	Bench Pond	31° 08' 04"	79° 04' 32"	UT to Right Fork
BP-2	Upland	Temporary	8.6	Bench Pond	31° 08' 59"	79°04'26"	UT to Right Fork
BP-3	Upland	Temporary	5.7	Bench Pond	31°08'16"	79°04'22"	UT to Right Fork
BP-4	Upland	Temporary	10.1	Bench Pond	31°08'15"	79°03'50"	UT North Fork Ky River
BP-5	Upland	Temporary	11.6	Bench Pond	31° 08' 54"	79° 03' 58"	UT North Fork Ky River
BP-6	Upland	Temporary	20.4	Bench Pond	31° 09' 02"	79°04'06"	UT North Fork Ky River
BP-7	Upland	Temporary	34.1	Bench Pond	31°09'04"	79°04'11"	UT North Fork Ky River
BP-8	Upland	Temporary	10.0	Bench Pond	31°09'09"	79°04'27"	UT to Bear Branch
BP-9	Upland	Temporary	3.3	Bench Pond	31° 08' 52"	79°04'34"	UT to Bear Branch
BP-10	Upland	Temporary	5.3	Bench Pond	31°08'54"	79°04'18"	UT North Fork Ky River
BP-11	Upland	Temporary	6.6	Bench Pond	31°08'52"	79°04'11"	UT North Fork Ky River
BP-12	Upland	Temporary	7.2	Bench Pond	31° 08' 28"	79°04'27"	UT to Leatherwood Creek
BP-13	Upland	Temporary	9.1	Bench Pond	31°08'22"	79°04'37"	UT to Leatherwood Creek
BP-14	Upland	Temporary	3.5	Bench Pond	31°08'22"	79°05'02"	UT to Right Fork
BP-15	Upland	Temporary	5.6	Bench Pond	31°08'27"	79° 05' 15"	UT to Right Fork
BP-16	Upland	Temporary	5.4	Bench Pond	31°08'36"	79°05'00"	UT to Bear Branch
BP-17	Upland	Temporary	5.7	Bench Pond	31°08'40"	79°04'38"	UT to Bear Branch
BP-18	Upland	Temporary	7.4	Bench Pond	31°08'43"	79°04'32"	UT to Bear Branch
BP-19	Upland	Temporary	5.1	Bench Pond	31° 08' 29"	79° 05' 03"	UT to Right Fork
SS-1	In Stream	Temporary	110.2	Sediment Pond	31°08'04	79°04'38"	UT to Right Fork
SS-2	In Stream	Temporary	45.9	Sediment Pond	31°08′18″	79°04'07"	UT to Leatherwood Creek
SS-3	In Stream	Temporary	55.6	Sediment Pond	31°08'22"	79°04'05"	UT to Leatherwood Creek
SS-4	In Stream	Temporary	47.3	Sediment Pond	31° 08' 28"	79° 03' 56"	UT to Leatherwood Creek
SS-6	In Stream	Temporary	13.2	Sediment Pond	31°08'42"	79° 04' 50"	UT to Bear Branch
SS-7	In Stream	Temporary	64.1	Sediment Pond	31° 08' 51"	79° 04' 45"	UT to Bear Branch